

# SAFETY DATA SHEET

Revision date: 25/03/2015

Version no: 1

Print date: 01/08/2015

## SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifiers

Trade Name	Description	Unit	Code
Teepol	BBQ Cleaner	12 x 500ml Trigger	0606
Teepol	BBQ Cleaner	6 x 1L Trigger	0607

### 1.2 Relevant identified uses of the substance/mixture and uses advised against

A powerful heavy duty and effective BBQ, and Grill Cleaner perfect for all grill, and BBQ both gas and charcoal. Dissolves grease and grime.

### 1.3 Details of the supplier of the safety data sheet

Company	Teepol Products,	Telephone	01689 877020
Address	Harvey Waddington, Murray Road, Orpington, Kent BR5 3QY	Fax	01689 877027
		E-Mail	sales@teepol.co.uk

1.4 Emergency telephone number +44 (0)1689 877020 (09:00 - 16:00 Monday to Friday)

## SECTION 2: HAZARD IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Eye. Dam. 1, H318

Skin. Irrit. 2, H315

### 2.2 Label elements

Signal Word: Hazard Pictograms:

DANGER

Hazard Statements:



H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary Statements:

#### Disposal

P501 Dispose of contents/container to licensed waste disposal site.

#### Prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection.

## Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

## Storage

P102 Keep out of reach of children.

## **2.3 Other hazards**

EUH none                      None known

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.2. Mixtures**

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
<b>Alcohol Ethoxylate</b>	<b>0948</b>	<b>68439-45-2</b>	<b>Polymer</b>	<b>&lt;5</b>
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Serious eye damage/irritation		Eye. Dam. 1	H318	
Acute toxicity		Acute. Tox. 4 - Oral	H302	

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
<b>Sodium Hydroxide</b>	<b>011-002-00-6</b>	<b>1310-73-2</b>	<b>215-185-5</b>	<b>&lt;5</b>
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Skin corrosion/irritation		Skin. Corr. 1A B C	H314	
Serious eye damage/irritation		Eye. Dam. 1	H318	
Corrosive to metals		Met. Corr. 1	H290	

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
<b>Sodium Alkyl Sulphate</b>		<b>72906-11-7</b>	<b>276-987-9</b>	<b>&lt;5</b>
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Skin corrosion/irritation		Skin. Irrit. 2	H315	
Serious eye damage/irritation		Eye. Dam. 1	H318	
Hazardous to the aquatic environment		Aquatic Chronic 3	H412	
Acute toxicity		Acute. Tox. 4 - Oral	H302	

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
<b>Triclosan</b>	<b>604-070-00-9</b>	<b>3380-34-5</b>	<b>222-182-2</b>	<b>&lt;1</b>
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Skin corrosion/irritation		Skin. Irrit. 2	H315	
Serious eye damage/irritation		Eye. Irrit. 2	H319	
Hazardous to the aquatic environment		Aquatic Acute 1	H400	

## **SECTION 4: FIRST AID MEASURES**

### **4.1 Description of first aid measures**

#### **General Advice**

Remove contaminated clothing.

#### **After inhalation**

Ensure supply of fresh air and seek medical attention.

#### **After contact with skin**

Wash splashes from skin immediately. If skin becomes sore or inflamed seek medical attention.

#### After contact with eyes

Irrigate with water for 10 to 15 minutes until irritation subsides. If irritation persists seek medical attention.

#### After ingestion:

If conscious, give plenty of water to drink, do not induce vomiting, obtain medical attention immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Eye and skin irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

Rinse with clean water

### SECTION 5: FIRE-FIGHTING MEASURES

**5.1 Suitable extinguishing media:** This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

**5.1 Unsuitable extinguishing media:** Not applicable.

#### 5.2 Special hazards arising from the substance or mixture

May produce oxides of carbon, nitrogen, sodium and sulphur.

#### 5.3 Advice to Fire Fighters

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate PPE. Avoid breathing vapours if any and ensure adequate ventilation. Cordon off area to other personnel.

#### 6.2 Environmental precautions

Do not allow to enter surface water drains, soil/subsoil.

#### 6.3 Methods and material for containment and cleaning up

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

**6.4 Reference to Other Sections:** See Section 8 and 13 for more information on exposure and disposal.

### SECTION 7: HANDLING and STORAGE

#### 7.1 Precautions for safe handling

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

#### 7.3 Specific end use(s)

Use only as directed on the container or label.

### SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

(Sodium Hydroxide) OES: TWA 8 hours-STEL 15 mins 2mg/m<sup>3</sup>.

#### 8.2 Exposure Controls

Do not eat, drink or smoke whilst working and wash hands after use.

**Exposure Controls - Eyes:** Avoid contact with eyes. Wear suitable eye protection if appropriate.

**Exposure Controls - Skin:** Wear vinyl, latex or nitrile gloves.

**Exposure Controls - Respiratory** Avoid inhaling dust from dried material.

### SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

**Appearance / Odour** Yellow odourless liquid. (Method: QP22)

**pH (10% soln.)** >12 (Method: QP03)

**Melting/freezing point:** 0°C

**Flammable / Flash point** Not Flammable

**Relative density** 1.02 g/cm<sup>3</sup> @ 20°C (Method: QP07)

**Solubility:** Soluble/dispersible in water

**Viscosity:** As water @20°C (Method: QP04)

**Oxidising properties:** Not applicable.  
**Explosive properties:** Not applicable.  
**9.2 Other Information** No information available.

**SECTION 10: STABILITY AND REACTIVITY**

**10.1 Reactivity:** Gives off hydrogen by reaction with base metals (zinc, aluminium).  
**10.2 Chemical Stability:** No decomposition if stored and applied as directed.  
**10.3 Hazardous Reactions:** Exothermic reaction with strong acids. Gives off hydrogen by reaction with base metals (zinc, aluminium).Risk of explosion.  
**10.6 Hazardous Decomposition Products** Contact with aluminium may produce flammable hydrogen.  
**10.4 Conditions to Avoid:** No information available.  
**10.5 Incompatible Materials:** Acids, light metals, aluminium and zinc  
Organic peroxides

**SECTION 11: TOXICOLOGICAL INFORMATION**

**11.1 Information on toxicological effects**

Substance	Toxicity
Alcohol Ethoxylate	Toxicity value(s): ORL RAT LD50 >200<2000 mg/kg Acute effects: Harmful if swallowed. Risk of serious damage to eyes. Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage. Ingestion: Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.
Sodium Hydroxide	Toxicological Data: Estimated fatal dose 5.0 grams. Inhalation: Dust from dried product may cause lung damage. Skin Contact: Will cause severe burns. Eye Contact: Will cause injury with possible LOSS OF SIGHT.
Sodium Alkyl Sulphate	Information on toxicological effects Acute toxicity: Irritation / Corrosivity on the skin: Irritant to skin and mucous membranes. on the eye: Strong irritant with the danger of severe eye injury. Additional toxicological information: The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant
Triclosan	Toxicity values:  SKN RBT LD50 >6000 mg/kg IHL RAT LC50 140 mg/m3 ORL RAT LD50 4300 mg/kg  Relevant effects for mixture: Irritation OPT DRM Hazardous: calculated  Symptoms / routes of exposure Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. An itchy rash may occur at the site of contact. Eye contact: There may be irritation and redness. There may be severe pain. The eyes may water profusely. Corneal burns may occur. Ingestion: There may be soreness and redness of the mouth and throat. Headaches or general malaise may result. Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing. Nausea and stomach pain may occur. There may be vomiting.

No information regarding interactions between the ingredients in this mixture is available, therefore, the information shown above is separately reported for each relevant ingredient used in the mixture even though it may be present below its concentration limit and represent no toxicity in the mixture as a whole.

## **SECTION 12: ECOLOGICAL INFORMATION**

No specific information is available for this mixture, therefore, the following information regarding the relevant substances used in this mixture is provided, even though they may be present below the concentration limit and represent minimal or no toxicity to the environment.

Substance	ECO Toxicity
Alcohol Ethoxylate	Ecotoxicity value(s): FISH 96H LC50 1-10 mg/l Mobility: Soluble in water. Persistence and degradability: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of the detergent manufacturer. PBT identification: This substance is not identified as a PBT substance.
Sodium Hydroxide	The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. 12.1 Toxicity: LC 50, 96 Hrs, FISH mg/l 55.6 EC 50, 48 Hrs, DAPHNIA, mg/l 156 12.2 Persistence and degradability: The product is expected to be biodegradable.
Sodium Alkyl Sulphate	Toxicity Acquatic toxicity: No further relevant information available. Persistence and degradability Other information: The product is readily biodegradable. Additional ecological information: General notes: Do not allow product to reach ground water, water course or sewage system. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.
Triclosan	12.1 Ecotoxicity values: FISH 96H LC50 0.5 mg/l 12.2. Persistence and degradability Persistence and degradability: Not biodegradable. 12.3. Bioaccumulative potential 12.4. Mobility in soil Mobility: Insoluble in water. 12.5. Results of PBT and vPvB assessment PBT identification: This substance is not identified as a PBT substance. 12.6. Other adverse effects

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

When disposing of surplus or waste product use suitable PPE etc. ensuring empty containers are rinsed out and disposed of safely. Do not allow product to enter land or surface water drains. Dispose of in accordance with local authority regulations. Do not mix with other waste materials.

## **SECTION 14: TRANSPORT INFORMATION**

- 14.1 UN number:** N/A  
**14.2 Shipping Name:** Teepol BBQ Cleaner

**14.3 Transport hazard class:** None

**14.4 Packing group:** N/A

**14.5 Environmental Hazards:** None

**14.6 Special precautions for user:**

No information

**14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:**

No information

## **SECTION 15: REGULATORY INFORMATION**

### **15.1 Safety, health and environment regulation/legislation specific to the substance or mixture**

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Guidance

ECHA Guidance on the application of CLP criteria (Version 4: November 2013)

ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

### **15.2 Chemical safety assessment**

No information

## **SECTION 16: OTHER INFORMATION**

Full text of H-Statements referred to under section 3

H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H302 Harmful if swallowed.  
H412 Harmful to aquatic life with long lasting effects.  
H290 May be corrosive to metals.  
H400 Very toxic to aquatic life.

Contains: Sodium Hydroxide.

#### *Directions:*

Always Wear Suitable Gloves. Turn nozzle to the "ON" position and spray directly onto surface. For burnt on grease, spray and leave BBQ Cleaner to do the cleaning for you. Rinse well after use. For best results clean BBQ after each use.

Further Information: The latest version of this data sheet may be obtained from the Harvey Waddington Web Site at: [www.teepol.co.uk](http://www.teepol.co.uk)

GLOSSARY: PPE Personal protective equipment. N/A Not applicable. N/K Not known OES Occupational exposure limit  
TWA Time weighted average W/V Weight to volume

The data contained in this Safety Data Sheet has been supplied for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

ANIMAL TESTING: Teepol Products (UK) do not test their finished products on animals.

*The information contained in this document is based on information believed to be correct on the date of issue. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of this information. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvements, we reserve the right to amend any specification without notice.*