

SAFETY DATA SHEET

Revision date: 01/06/2015

Version no: 1

Print date: 01/08/2015

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Trade Name	Description	Unit	Code
Teepol	BGS Universal Cleaner	6 x 1L Trigger	0180
Teepol	BGS Universal Cleaner	4 x 5L	0181

1.2 Relevant identified uses of the substance/mixture and uses advised against

General purpose cleaner for most hard surfaces, upholstery and fabrics.

1.3 Details of the supplier of the safety data sheet

Company	Teepol Products,	Telephone	01689 877020
Address	Harvey Waddington, Murray Road, Orpington, Kent BR5 3QY	Fax	01689 877027
		E-Mail	sales@teepol.co.uk

1.4 Emergency telephone number +44 (0)1689 877020 (09:00 - 16:00 Monday to Friday)

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Eye. Irrit. 2, H319

Skin. Irrit. 2, H315

2.2 Label elements

Signal Word: *Hazard Pictograms:*

WARNING

Hazard Statements:



H315 Causes skin irritation.

H319 Causes serious eye irritation.

Precautionary Statements:

Disposal

P501 Dispose of contents/container to licensed waste disposal site.

Prevention

P264 Wash ... thoroughly after handling.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Storage

P102 Keep out of reach of children.

2.3 Other hazards

EUH none None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Trisodium Phosphate	01-2119489800-32-XXXX	7601-54-9	231-509-8	<5
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Skin corrosion/irritation		Skin. Irrit. 2	H315	
Serious eye damage/irritation		Eye. Irrit. 2	H319	

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Sodium metasilicate	01-2119449811-37-XXXX	6834-92-0	229-912-9	<5
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Skin corrosion/irritation		Skin. Corr. 1A B C	H314	
Serious eye damage/irritation		Eye. Dam. 1	H318	
Corrosive to metals		Met. Corr. 1	H290	

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No.</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Alcohol Ethoxylate	0948	68439-45-2	Polymer	<5
<u>Hazard Class</u>		<u>Hazard Category</u>	<u>Hazard Statements</u>	
Serious eye damage/irritation		Eye. Dam. 1	H318	
Acute toxicity		Acute. Tox. 4 - Oral	H302	

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice

Remove contaminated clothing.

After inhalation

Ensure supply of fresh air and seek medical attention.

After contact with skin

Wash splashes from skin immediately. If skin becomes sore or inflamed seek medical attention.

After contact with eyes

Irrigate with water for 10 to 15 minutes until irritation subsides. If irritation persists seek medical attention.

After ingestion:

If conscious, give plenty of water to drink, do not induce vomiting, obtain medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

Eye and skin irritation

4.3 Indication of any immediate medical attention and special treatment needed

Rinse with clean water

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media: This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.1 Unsuitable extinguishing media: Not applicable.

5.2 Special hazards arising from the substance or mixture

May produce oxides of carbon, nitrogen, sodium and sulphur.

5.3 Advice to Fire Fighters

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate PPE. Avoid breathing vapours if any and ensure adequate ventilation. Cordon off area to other personnel.

6.2 Environmental precautions

Do not allow to enter surface water drains, soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

6.4 Reference to Other Sections: See Section 8 and 13 for more information on exposure and disposal.

SECTION 7: HANDLING and STORAGE

7.1 Precautions for safe handling

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

7.2 Conditions for safe storage, including any incompatibilities

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

7.3 Specific end use(s)

Use only as directed on the container or label.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with known occupational exposure limits.

8.2 Exposure Controls

Do not eat, drink or smoke whilst working and wash hands after use.

Exposure Controls - Eyes: Avoid contact with eyes.

Exposure Controls - Skin: Wear vinyl, latex or nitrile gloves.

Exposure Controls - Respiratory None required.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance / Odour Blue liquid with slight odour. (Method: QP22)

pH (10% soln.) 12 - 13 (Method: QP03)

Melting/freezing point: 0°C

Flammable / Flash point Not Flammable

Relative density 1.02 g/cm³ @ 20°C (Method: QP07)

Solubility: Soluble/dispersible in water

Viscosity: As water @20°C (Method: QP04)

Oxidising properties: Not applicable.

Explosive properties: Not applicable.

9.2 Other Information No information available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Not known to react with other chemicals.

10.2 Chemical Stability: No decomposition if stored and applied as directed.

10.3 Hazardous Reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.6 Hazardous Decomposition Products Oxides of carbon.

10.4 Conditions to Avoid: No information available.

10.5 Incompatible Materials:

Strong acids. Strong oxidising agents. May react with acids and fluorine gas, may react with Aluminium, Zinc, Tin and their alloys liberating hazardous fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Substance	Toxicity
Trisodium Phosphate	<p>Toxicity values: Route Species Test Value Units ORL RAT LD50 >2000 mg/kg Relevant hazards for substance: Hazard Route Basis Skin corrosion/irritation DRM Based on test data Serious eye damage/irritation OPT Based on test data STOT-single exposure INH Based on test data Symptoms / routes of exposure Skin contact: There may be irritation and redness at the site of contact. An itchy rash may occur at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. Ingestion: Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.</p>
Sodium metasilicate	<p>Toxicity values: Route Species Test Value Units ORAL RAT LD50 1280 mg/kg ORAL MUS LD50 770 mg/kg Relevant effects for mixture: Effect Route Basis Irritation INH Hazardous: calculated Corrosivity OPT INH DRM Hazardous: calculated Symptoms / routes of exposure Skin contact: Irritation or pain may occur at the site of contact. Severe burns may occur. Eye contact: There may be irritation and redness. There may be severe pain. Corneal burns may occur. Risk of serious damage to eyes. Ingestion: There may be soreness and redness of the mouth and throat. Corrosive burns may appear around the lips. May cause throat burns. Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. May cause irritation of the mucous membranes and respiratory system. High concentrations are irritant to the respiratory tract. Corrosive to the mucous membrane. Prolonged or repeated exposure may cause ulceration and perforation of the nasal septum. Delayed / immediate effects: Immediate effects can be expected after short-term exposure. Other information: * There is no further information at this time.</p>
Alcohol Ethoxylate	<p>Toxicity value(s): ORL RAT LD50 >200<2000 mg/kg Acute effects: Harmful if swallowed. Risk of serious damage to eyes. Skin contact: There may be irritation and redness at the site of contact. Eye contact: There may be irritation and redness. The eyes may water profusely. There may be severe pain. May cause permanent damage. Ingestion: Nausea and stomach pain may occur. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.</p>

No information regarding interactions between the ingredients in this mixture is available, therefore, the information shown above is separately reported for each relevant ingredient used in the mixture even though it may be present below its concentration limit and represent no toxicity in the mixture as a whole.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is available for this mixture, therefore, the following information regarding the relevant substances used in this mixture is provided, even though they may be present below the concentration limit and represent minimal or no toxicity to the environment.

Substance	ECO Toxicity
Trisodium Phosphate	12.1. Toxicity Ecotoxicity values:

Trisodium Phosphate	<p>Species Test Value Units GAMBUSIA AFFIS 96H LC50 150 mg/l</p> <p>12.2. Persistence and degradability 12.3. Bioaccumulative potential 12.4. Mobility in soil Mobility: Soluble in water. 12.5. Results of PBT and vPvB assessment PBT identification: This substance is not identified as a PBT substance. 12.6. Other adverse effects</p>
Sodium metasilicate	<p>12.1. Toxicity Ecotoxicity values: Species Test Value Units DAPHNIA 48H EC50 4857 mg/l FISH 96H LC50 3185 mg/l ALGAE 96H EC50 > 1000 mg/l</p> <p>12.2. Persistence and degradability Persistence and degradability: Biodegradable. 12.3. Bioaccumulative potential Bioaccumulative potential: There is no evidence of bioaccumulation. 12.4. Mobility in soil Mobility: Soluble in water. 12.5. Results of PBT and vPvB assessment PBT identification: This substance is not identified as a PBT substance. 12.6. Other adverse effects Other adverse effects: Do not allow to enter watercourses or soils. Spillage in sewers or waterways must be avoided. Discharge of large quantities may kill fish and other aquatic life due to increase/decrease in pH. Large doses causes high/low pH which may affect effluent and sewage treatment processes.</p>
Alcohol Ethoxylate	<p>Ecotoxicity value(s): FISH 96H LC50 1-10 mg/l Mobility: Soluble in water. Persistence and degradability: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of the detergent manufacturer. PBT identification: This substance is not identified as a PBT substance.</p>

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

When disposing of surplus or waste product use suitable PPE etc. ensuring empty containers are rinsed out and disposed of safely. Do not allow product to enter land or surface water drains. Dispose of in accordance with local authority regulations. Do not mix with other waste materials.

SECTION 14: TRANSPORT INFORMATION

- 14.1 UN number:** N/A
14.2 Shipping Name: Teepol BGS Universal Cleaner
14.3 Transport hazard class: None
14.4 Packing group: N/A
14.5 Environmental Hazards: None

14.6 Special precautions for user:

No information

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:

No information

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environment regulation/legislation specific to the substance or mixture

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Guidance

ECHA Guidance on the application of CLP criteria (Version 4: November 2013)

ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

15.2 Chemical safety assessment

No information

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H302 Harmful if swallowed.
- H290 May be corrosive to metals.

Directions:

To remove grease, finger marks and general soiling, spray onto walls, floors, paintwork, worktops, cabinets, ceramic tiles, vinyl etc. and wipe clean with a damp cloth or sponge. To remove stains from upholstery and fabrics, spray on and work in with a clean cloth/brush. Sponge with a damp cloth. TEST FOR COLOUR FASTNESS BEFORE USE.

Further Information: The latest version of this data sheet may be obtained from the Harvey Waddington Web Site at: www.teepol.co.uk

GLOSSARY: PPE Personal protective equipment. N/A Not applicable. N/K Not known OES Occupational exposure limit
TWA Time weighted average W/V Weight to volume

The data contained in this Safety Data Sheet has been supplied for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

ANIMAL TESTING: Teepol Products (UK) do not test their finished products on animals.

The information contained in this document is based on information believed to be correct on the date of issue. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of this information. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvements, we reserve the right to amend any specification without notice.