

SAFETY DATA SHEET

Revision date: 09/03/2017

Version no 2

Print date: 09/03/2017

SECTION 1: IDENTIFICATION OF SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Trade Name	Description	Unit	Code
Teepol	Blue Moon Hand Wash	4 x 5L	0561

1.2 Relevant identified uses of the substance/mixture and uses advised against

Delicately scented, this liquid hand soap enriched with a fresh clean fragrant gently cleans your hands without drying. Its pH-neutral formula respects the skin balance.

1.3 Details of the supplier of the safety data sheet

Company	Teepol Products,		
Address	Harvey Waddington,	Telephone	01689 877020
	Murray Road,	Fax	01689 877027
	Orpington,	E-Mail	sales@teepol.co.uk
	Kent BR5 3QY		

1.4 Emergency telephone number +44 (0)1689 877020 (09:00 - 16:00 Monday to Friday)

SECTION 2: HAZARD IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

None, None

2.2 Label elements

Signal Word: *Hazard Pictograms:*

Hazard Statements:

None

Precautionary Statements:

Disposal

P501 Dispose of contents/container to licensed waste disposal site.

Prevention

P305 + P351 + P338 + P315 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

P301 + P330 + P331 + P313 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Get medical advice/attention.

Storage

P102 Keep out of reach of children.

2.3 Other hazards

EUH none None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Sodium C12-C15 Alcohol Ether Sulphate		13150-00-0	236-091-0	5-15
<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Hazard Statements</u>		
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin corrosion/irritation		
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious eye damage/irritation		

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Alkylamidopropyl Betaine C8-18	01-2119488533-30-xxxx		931-296-8	<5
<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Hazard Statements</u>		
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious eye damage/irritation		
Hazardous to the aquatic environment	Aquatic Chronic 3	H412 Hazardous to the aquatic environment		

<u>Substance Name</u>	<u>REACH Reg. No.</u>	<u>CAS-No</u>	<u>EC-No.</u>	<u>Amount [%]</u>
Coconut Diethanolamide	01-2119490100-53-001	68155-07-7	931-329-6	<5
<u>Hazard Class</u>	<u>Hazard Category</u>	<u>Hazard Statements</u>		
Skin corrosion/irritation	Skin. Irrit. 2	H315 Skin corrosion/irritation		
Serious eye damage/irritation	Eye. Dam. 1	H318 Serious eye damage/irritation		
Hazardous to the aquatic environment	Aquatic Chronic 2	H411 Hazardous to the aquatic environment		

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

General Advice

Remove contaminated clothing.

After inhalation

Ensure supply of fresh air

After contact with skin

Rinse off with water

After contact with eyes

Rinse eyes with water until irritation subsides.

After ingestion:

If small amount wash out mouth with water and drink clean water. If amount is large give plenty of water to drink, do not induce vomiting and seek medical advise.

4.2 Most important symptoms and effects, both acute and delayed

Eye irritation and reddening

4.3 Indication of any immediate medical attention and special treatment needed

Rinse with clean water

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Suitable extinguishing media: This product is not flammable. Use fire extinguishing media appropriate for surrounding area.

5.1 Unsuitable extinguishing media: Not applicable.

5.2 Special hazards arising from the substance or mixture

May produce oxides of carbon, nitrogen, sodium and sulphur.

5.3 Advice fo Fire Fighters

Wear self-contained breathing apparatus and protective clothing as appropriate to the associated fire.

SECTION 6: ACCIDENTAL RELEASE MEAS

6.1 Personal precautions, protective equipment and emergency procedures

Use appropriate PPE. Avoid breathing vapours if any and ensure adequate ventilation. Cordon off area to other personnel.

6.2 Environmental precaution

Do not allow to enter surface water drains, soil/subsoil.

6.3 Methods and material for containment and cleaning up

Absorb with sand or binder and dispose of according to local regulations. Small spillages may be flushed to a foul drain.

6.4 Reference to Other Sections: See Section 8 and 13 for more information on exposure and disposal.

SECTION 7: HANDLING and STORAGE

7.1 Precautions for safe handling

Provide good ventilation in working area. Wash hands after use and do not allow to enter surface water drains.

7.2 Conditions for safe storage, including any incompatibilities

Store only in original containers out of reach of children. Storage temperature should be between 5°C and 30°C.

7.3 Specific end use(s)

Use only as directed on the container or label.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Contains no substances with known occupational exposure limits.

8.2 Exposure Controls

Do not eat, drink or smoke whilst working and wash hands after use.

Exposure Controls - Eyes: Avoid contact with eyes.

Exposure Controls - Skin: Wear vinyl, latex or nitrile gloves.

Exposure Controls - Respiratory None required.

SECTION 9: PHYSICAL and CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance / Odour Fragranced viscous blue liquid. (Method: QP22)

pH (10% soln.) 6.8 - 7.2 (Method: QP03)

Melting/freezing point: 0°C

Flammable / Flash point Not Flammable

Relative density 1.02 g/cm³ @ 20°C (Method: QP07)

Solubility: Soluble/dispersible in water

Viscosity: 60 - 70s Ford 4 (50ml) @20°C (Method: QP04)

Oxidising properties: Not applicable.

Explosive properties: Not applicable.

9.2 Other Information No information available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Not known to react with other chemicals

10.2 Chemical Stability: No stability concerns

10.3 Hazardous Reactions: None known

10.6 Hazardous Decomposition Products May produce toxic products of combustion when involved with a fire.

10.4 Conditions to Avoid: None known

10.5 Incompatible Materials: None known

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Substance	Toxicity
Sodium C12-C15	TOXIC DOSE 1 - LD 50 >2000 mg/kg (oral rat)
Alcohol Ether	INHALATION
Sulphate	May cause irritation to the respiratory system. INGESTION May cause discomfort if swallowed. SKIN CONTACT Irritating to skin.

	EYE CONTACT May cause severe irritation to eyes.
Coconut Diethanolamide	TOXIC DOSE 1 - LD 50 >2000 mg/kg (oral rat) INHALATION May cause irritation to the respiratory system. INGESTION No harmful effects expected in amounts likely to be ingested by accident. SKIN CONTACT Irritating to skin. EYE CONTACT Risk of serious damage to eyes.
Alkylamidopropyl Betaine C8-18	Toxicity values: Route Species Test Value Units ORL RAT LD50 >5000 mg/kg Relevant effects for mixture: Effect Route Basis Irritation OPT Hazardous: calculated Symptoms / routes of exposure Skin contact: There may be irritation and redness at the site of contact. Eye contact: * May cause severe eye injury. There may be irritation and redness. The eyes may water profusely. Ingestion: There may be soreness and redness of the mouth and throat. There may be vomiting. Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

No information regarding interactions between the ingredients in this mixture is available, therefore, the information shown above is separately reported for each relevant ingredient used in the mixture even though it may be present below its concentration limit and represent no toxicity in the mixture as a whole.

SECTION 12: ECOLOGICAL INFORMATION

No specific information is available for this mixture, therefore, the following information regarding the relevant substances used in this mixture is provided, even though they may be present below the concentration limit and represent minimal or no toxicity to the environment.

Substance	ECO Toxicity
Sodium C12-C15 Alcohol Ether Sulphate	12.1 Toxicity EC 50, 48 Hrs, DAPHNIA, mg/l 1-10 IC 50, 72 Hrs, ALGAE, mg/l 1-10 12.2 Persistence and degradability: The product is easily biodegradable.
Coconut Diethanolamide	MOBILITY The product is soluble in water. BIOACCUMULATION The product does not contain any substances expected to be bioaccumulating. DEGRADABILITY This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Alkylamidopropyl Betaine C8-18

12.1 Toxicity:
Species Test Value Units
Daphnia magna 48H EC50 21.5 mg/l
MARINE ALGAE (Skeletonema costatum) 48H EC50 30.0 mg/l

12.2. Persistence and degradability
Persistence and degradability: This surfactant complies with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of the detergent manufacturer.

12.3. Bioaccumulative potential

12.4. Mobility in soil
Mobility: Soluble in water.

12.5. Results of PBT and vPvB assessment
PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects
Other adverse effects: *

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

When disposing of surplus or waste product use suitable PPE etc. ensuring empty containers are rinsed out and disposed of safely. Do not allow product to enter land or surface water drains. Dispose of in accordance with local authority regulations. Do not mix with other waste materials.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number: N/A

14.2 Shipping Name: Teepol Blue Moon Hand Wash

14.3 Transport hazard class None

14.4 Packing group: N/A

14.5 Environmental Hazards: None

14.6 Special precautions for user:

No information

14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC code:

No information

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environment regulation/legislation specific to the substance or mixture

EU Legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

Guidance

ECHA Guidance on the application of CLP criteria (Version 4: November 2013)

ECHA Guidance on the compilation of safety data sheets (Version 2.1: February 2014)

15.2 Chemical safety assessment

No information

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H318 Causes serious eye damage.

- H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Directions:

Apply to wet hands, massage to remove dirt and rinse off with clean water.

Further Information: The latest version of this data sheet may be obtained from the Harvey Waddington Web Site at: www.teepol.co.uk

GLOSSARY: PPE Personal protective equipment. N/A Not applicable. N/K Not known OES Occupational exposure limit
TWA Time weighted average W/V Weight to volume

The data contained in this Safety Data Sheet has been supplied for the purpose of protecting the health and safety of industrial and commercial users who are deemed capable of understanding and acting on the information provided.

ANIMAL TESTING: Teepol Products (UK) do not test their finished products on animals.

The information contained in this document is based on information believed to be correct on the date of issue. No warranty or representation, expressed or implied, is made as to the accuracy or completeness of this information. The user assumes all liability for any damage or injury resulting from abnormal use, from the failure to adhere to recommended practises, or from hazards inherent in the nature of the product. In accordance with our policy of incorporating technical improvemets, we reserve the right to amend any specification without notice.